BioSpectrum
the business of Bio & Health Sciences
ASIA EDITION

MD Anderson Cancer Centre, 4D pharma collaborate to evaluate live biotherapeutics in solid tumors

07 January 2019 | News

The alliance brings together MD Anderson's translational medicine and clinical research capabilities with 4D’s expertise in the discovery and development of live biotherapeutics.

The University of Texas MD Anderson Cancer Centre and 4D pharma has announced a strategic collaboration to evaluate 4D’s live biotherapeutic oncology pipeline across a range of cancer settings.

The alliance brings together MD Anderson's translational medicine and clinical research capabilities with 4D’s expertise in the discovery and development of live biotherapeutics. The collaboration will initially assess the 4D’s lead oncology candidate, MRx0518, as a potential treatment for solid tumors.

The first clinical trial, an open label Phase I study of MRx0518 in combination with Keytruda and conducted in collaboration with Merck & Co., Inc., Kenilworth, N.J., has been initiated and is due to open shortly. The study will enroll up to 132 patients with metastatic cancer across multiple histologies including non-small cell lung cancer, renal cell carcinoma, bladder cancer and melanoma, who have not responded to prior anti-PD-1 therapy.

Subsequent studies are also being planned under the collaboration, including using MRx0518 in combination with stereotactic body radiotherapy (SBRT) for the treatment of pancreatic cancer.

"This alliance, with one of the leading oncology research centers in the world, will provide a strong and long-term foundation for the development of 4D’s live biotherapeutics in cancer,” said Duncan Peyton, 4D’s chief executive officer. “The current study, which is one of the first live biotherapeutic programs to reach the clinic in the immuno-oncology space, represents an important step forward in the development of MRx0518 and 4D’s broader oncology franchise. We look forward to continuing to work with our partners at MD Anderson to progress this study and help bring this therapy to patients.”