

## Singapore links increasing air pollution to rise of particular lung cancer

25 November 2021 | News

### Findings also reveal decline in smoking led to decrease in another type of lung cancer



An international team of scientists, led by Nanyang Technological University, Singapore (NTU Singapore), has linked increased air pollution to an uptick in cases of lung adenocarcinoma (LADC) worldwide.

The same study also concluded an overall lower consumption of tobacco worldwide is statistically linked to less people contracting lung squamous cell carcinoma (LSCC).

Lung adenocarcinoma is a type of cancer for which research strongly suggests that genetic, environmental, and lifestyle factors play a part, while lung squamous cell carcinoma is often linked to a history of smoking.

This study, done in collaboration between NTU and the Chinese University of Hong Kong, showed that a 0.1 micrograms per cubic metre ( $\mu\text{g}/\text{m}^3$ ) increment of black carbon, also known as soot, in the Earth's atmosphere, is associated with a 12 per cent increase in LADC incidence globally.

Meanwhile, a one per cent decline of smoking prevalence was associated with a nine per cent drop in LSCC incidence globally.

The team plans to carry out further research to investigate the functions of black carbon and sulfate in the development of LADC, which could lead to new studies to combat the surge of the cancer. The team also hopes to explore other pollutants that might be linked to lung cancers.